

uvex ultrashield 9122

Product Data Sheet



9122415



9122480



9122880



9122885

fashion. vision. protection.

The new uvex ultrashield spectacles combine style, sports and safety in one. These large safety glasses were designed to bring protection and lightweight comfort. Whether you're wearing them on the job site, the river, the dusty trail or just around town, the uvex polycarbonate lenses and frame, wraparound design and anti-slip details will make you forget you're even wearing them. The oversized lens offers goggle-like coverage, but with better airflow than typical safety goggles. And they come available with UV400 protective, impact-resistant clear, glare-eliminating, polarized and mirrored lenses.

Part Numbers

| Part # | Lens | Coating |
|---------------|---------------------|----------------|
| 9122415 | Clear | AF (KN) |
| 9122480 | Grey 23 % | AF (KN) |
| 9122880 | Grey Polarized 12 % | HC |
| 9122885 | Blue Mirror 14 % | AF |

Product Features

- Fashionable and sporty safety spec with perfect fit for indoor and outdoor applications.
- Wide lens with a large field of vision..
- Soft, flexible, non-slip side arms for optimum comfort
- Adjustable nose piece provides a comfortable and customized fit
- UV400 - 100% protection against dangerous UV radiation up to 400 nm
- Offered in attractive tints for different working environments

uvex ultrashield 9122

Product Data Sheet



Technical Details & Marking

| | | 9122415 | 9122480 | 9122880 | 9122885 |
|--------------------------|---------------|-----------------|------------------|----------------|-----------------|
| Material | Lens | PC | PC | PC | PC |
| | Side Arms | PC/TPR | PC/TPR | PC/TPR | PC/TPR |
| Thickness | Lens | 2 mm | 2 mm | 2 mm | 2 mm |
| | Side Arms | | | | |
| Colour | Lens | Clear | Grey 23 % | grey pola 12% | blue mirror 14% |
| | Side Arms | white/black | white/black | white/black | white/black |
| Marking Lens | ISO 16321 | W UL1.2 CT 1 KN | W G2 CT 1 KN | W G3 CT 1 | W G3 CT 1 |
| | ANSI Z87.1-20 | W Z87+ U6 X | W Z87+ U6 L2.5 X | W Z87+ U6 L3 | W Z87+ U6 L3 |
| | CSA Z94.3-20, | Z94.3 | Z94.3 | Z94.3 | Z94.3 |
| | AS/NZS 1337.1 | XIO 0 | XI 2 | XI 3 | XI 3 |
| | | | | | |
| Marking Side Arms | ISO 16321 | 16321 W CT | 16321 W CT | 16321 W CT | 16321 W CT |
| | ANSI Z87.1-20 | W Z87+ | W Z87+ | W Z87+ | W Z87+ |
| | CSA Z94.3-20, | Z94.3 | Z94.3 | Z94.3 | Z94.3 |
| | AS/NZS 1337.1 | AS/NZS 1337.1 | AS/NZS 1337.1 | AS/NZS 1337.1 | AS/NZS 1337.1 |
| | | | | | |
| Marking Frame | ANSI Z87.1-20 | W Z87+ | W Z87+ | W Z87+ | W Z87+ |

uvex ultrashield 9122

Product Data Sheet



Logistical Information

| | | | | | |
|---------------------------|-------------------|-----------------|-----------------|-----------------|-----------------|
| Dimensions | Product | 172x151x57 mm | 172x151x57 mm | 172x151x57 mm | 172x151x57 mm |
| | Box | 290x190x97 mm | 290x190x97 mm | 290x190x97 mm | 290x190x97 mm |
| | Shipper Carton | 600x400x400 mm | 600x400x400 mm | 600x400x400 mm | 600x400x400 mm |
| Weight (net/gross) | Product | 33 g / 49 g | 33 g / 49 g | 33 g / 49 g | 33 g / 49 g |
| | Box | 264 g / 495 g | 264 g / 495 g | 264 g / 495 g | 264 g / 495 g |
| | Shipper Carton | 4224 g / 8056 g | 4224 g / 8056 g | 4224 g / 8056 g | 4224 g / 8056 g |
| Country of Origin | Taiwan | | | | |
| Packing Units | No. Pieces | 9122415 | 9122480 | 9122880 | 9122885 |
| Piece | 1 | 4066853051930 | 4066853051961 | 4066853052029 | 4066853051992 |
| Box | 8 | 4066853051947 | 4066853051978 | 4066853052036 | 4066853052005 |
| Shipper Carton | 128 | 4066853051954 | 4066853051985 | 4066853052043 | 4066853052012 |

Others

Relevant Standards ISO 16321, ANSI Z87.1-2020, CSA Z94.3-2020, AS/NZS 1337.1
PPE Category Category II