


**Product Datasheet model i-3 AR 9190 838**

**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189, D-90766  
Fürth**

**Product  
characteristics**

- fashionable, 3-component safety spectacles with innovative features
- anti-reflective lenses provide protection against a transmission factor of > 96.5% to prevent distracting reflections
- 100% metal-free
- reliable protection provided by its perfect fit: multi-level side arm inclination allows the wearer to adjust the spectacles to suit their own face shape
- adjustable nose loops prevent complications caused by the spectacles slipping
- soft, adjustable nose loops, soft, anti-slip sidearm pieces and metalfree hinged side arms (3-component technology) for high wearer comfort and to avoid pressure points

<b>Technical details</b>	
<b>Frame</b>	
Material	Front piece/Temple TPU/TPE
Features	variable inclination, individually adjustable
Colour	black, blue
<b>Marking</b>	
Manufacturer's ID code	W
Applicable EN norm	166
Impact resistance	F (45 m/s)
Resistance to high speed particles at extremes of temp.	T
Conformity symbol	CE
<b>Lens</b>	
Material	PC
Thickness	2,2 mm
Coating	uvex supravision AR
Colour	clear
UV protection	UV 400
<b>Marking</b>	
Filter	2C-1,2 (DIN EN 170)
Manufacturer's ID code	W
Optical class	1
Impact resistance	F (45 m/s)
Resistance to high speed particles at extremes of temp.	T
Conformity symbol	CE
Factory symbol	

**Miscellaneous**

Weight

30 g

Packing

1 spectacle per box

42 spectacles per cardboard box

Standards

DIN EN 166 + DIN EN 170

PPE Category

Category II