


8100 SA All-in Zyklop Speed Ratchet Set, 1/4" drive, with holding function, metric,  
42 pieces



|                        |                |                               |               |
|------------------------|----------------|-------------------------------|---------------|
| <b>EAN:</b>            | 4013288190994  | <b>Size:</b>                  | 220x140x70 mm |
| <b>Part number:</b>    | 05003755001    | <b>Weight:</b>                | 1240 g        |
| <b>Article number:</b> | 8100 SA All-In | <b>Country of origin:</b>     | CZ            |
|                        |                | <b>Customs tariff number:</b> | 82041100      |

- 42-piece ratchet set in robust textile box
- Freely pivoting ratchet head with 5 predefined locking positions
- Bit-sockets with all the advantages of the Wera bit technology
- TORX®, Hex-Plus and hexagon nuts with holding function for screws / nuts
- Compatible with Wera 2go

Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable. They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility. Take it easy Tool Finder with colour coding according to sizes.



**Web link**  
<https://www.wera.de/en/05003755001>

Wera - 8100 SA All-In  
05003755001 - 4013288190994

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

**Zyklop "6 in 1"**



Incredibly fast Zyklop Speed ratchet with pivoting ratchet head and 5 predefined locking positions



1. Fine-tooth ratchet 2. Flex-head ratchet 3. Angle ratchet 4. Quick-release ratchet 5. Power ratchet 6. Screwdriver

**Bit sockets with holding function for TORX® screws**



The HF tools developed by Wera are ideal because they feature an optimised geometry of the original TORX® profile. The wedging forces resulting from the surface pressure between the drive tip and the screw profile mean that TORX® screws made according to Camcar Innovations, Michigan, USA specifications are securely held on the tool!

**Bit sockets with retaining function for hexagon socket screws**



The clamping of the screw is achieved by a flexible locking ball. The holding function is especially helpful in confined, hard-to-reach spaces, where there is no room for a second hand to secure the screw.

**Sockets with retaining function for hexagon headed bolts, screws and nuts**



The clamping of the screw is achieved by a twin spring loaded ball retention system. The tubing is effectively protected against mechanical wear and tear by a steel ring. The holding function is especially helpful in confined, hard-to-reach spaces, where there is no room for a second hand to secure the screw.

**Take it easy tool finder system**




Take it easy tool finder system - with profile and size colour-coding for quick and easy tool selection. Colour-coded system for hexagon drive screws (L-Keys, Zyklop bit sockets), external hex drive screws and nuts (Joker wrenches, Zyklop sockets and Zyklop bit sockets with holding function), and TORX® drive screws (L-Keys, Zyklop bit sockets).

**Nut extractor tool**



This tool enables hexagon nuts to be easily removed from sockets with holding function.

**Secure hold and easy removal**



The all new smooth turning mechanism guarantees both secure and rattle-free storage, yet allows easy removal of the tool.

**Web link**  
<https://www.wera.de/en/05003755001>

Wera - 8100 SA All-In  
 05003755001 - 4013288190994


Wera Werkzeuge GmbH  
 Korzter Straße 21-25  
 D-42349 Wuppertal  
 Tel: +49 (0)2 02 / 40 45-0  
 E-Mail: info@wera.de

Set contents:


8000 A Zyklop Speed Ratchet with 1/4" drive, 1/4" x 152 mm

|   |             |    |               |
|---|-------------|----|---------------|
|  | 05003500001 | 1x | 1/4" x 152 mm |
|---|-------------|----|---------------|


8796 LA Zyklop "flexible-lock" extension with free-turning sleeve, long, 1/4", 1/4" x 150 mm

|   |             |    |               |
|---|-------------|----|---------------|
|  | 05003531001 | 1x | 1/4" x 150 mm |
|---|-------------|----|---------------|


8794 A Zyklop wobble extension, 1/4", 1/4" x 56 mm

|   |             |    |              |
|---|-------------|----|--------------|
|  | 05003527001 | 1x | 1/4" x 56 mm |
|---|-------------|----|--------------|


8790 HMA HF Zyklop socket with 1/4" drive with holding function, 4 x 23 mm

|   |             |            |             |
|---|-------------|------------|-------------|
|  | 05003717001 | 1x         | 4 x 23 mm   |
|   | 05003718001 | 1x         | 4.5 x 23 mm |
|   | 05003719001 | 1x         | 5 x 23 mm   |
|   | 05003720001 | 1x         | 5.5 x 23 mm |
|   | 05003721001 | 1x         | 6 x 23 mm   |
|   | 05003722001 | 1x         | 7 x 23 mm   |
|   | 05003723001 | 1x         | 8 x 23 mm   |
|   | 05003724001 | 1x         | 9 x 23 mm   |
|   | 05003725001 | 1x         | 10 x 23 mm  |
|   | 05003726001 | 1x         | 11 x 23 mm  |
| 05003727001   | 1x          | 12 x 23 mm |             |
| 05003728001   | 1x          | 13 x 23 mm |             |
| 05003729001   | 1x          | 14 x 23 mm |             |


8767 A HF TORX® Zyklop bit socket with holding function, 1/4" drive, TX 8 x 28 mm

|   |             |    |               |
|---|-------------|----|---------------|
|  | 05003360001 | 1x | TX 8 x 28 mm  |
|   | 05003361001 | 1x | TX 9 x 28 mm  |
|   | 05003362001 | 1x | TX 10 x 28 mm |
|   | 05003363001 | 1x | TX 15 x 28 mm |
|   | 05003364001 | 1x | TX 20 x 28 mm |
|   | 05003365001 | 1x | TX 25 x 28 mm |
|   | 05003367001 | 1x | TX 27 x 28 mm |
|   | 05003369001 | 1x | TX 30 x 28 mm |
|   | 05003371001 | 1x | TX 40 x 28 mm |

8740 A Zyklop bit socket, 1/4" drive, 2 x 28 mm

|   |             |    |             |
|---|-------------|----|-------------|
|  | 05003330001 | 1x | 2 x 28 mm   |
|   | 05003331001 | 1x | 2.5 x 28 mm |

8740 A HF Zyklop bit socket with holding function, 1/4" drive, 3 x 28 mm

|   |             |    |           |
|---|-------------|----|-----------|
|  | 05003332001 | 1x | 3 x 28 mm |
|   | 05003333001 | 1x | 4 x 28 mm |
|   | 05003335001 | 1x | 5 x 28 mm |
|   | 05003337001 | 1x | 6 x 28 mm |
|   | 05003341001 | 1x | 7 x 28 mm |
|   | 05003339001 | 1x | 8 x 28 mm |

Web link

<https://www.wera.de/en/05003755001>

Wera - 8100 SA All-In  
05003755001 - 4013288190994

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de

8751 A Phillips Zyklop bit socket, 1/4" drive, PH 1 x 28 mm



|             |    |              |
|-------------|----|--------------|
| 05003350001 | 1x | PH 1 x 28 mm |
| 05003351001 | 1x | PH 2 x 28 mm |
| 05003352001 | 1x | PH 3 x 28 mm |

8755 A Pozidriv Zyklop bit socket, 1/4" drive, PZ 1 x 28 mm



|             |    |              |
|-------------|----|--------------|
| 05003353001 | 1x | PZ 1 x 28 mm |
| 05003354001 | 1x | PZ 2 x 28 mm |
| 05003355001 | 1x | PZ 3 x 28 mm |

8700 A FL Slotted screws Zyklop bit socket, 1/4" drive, 0.8 x 5.5 x 28 mm



|             |    |                   |
|-------------|----|-------------------|
| 05003320001 | 1x | 0.8 x 5.5 x 28 mm |
| 05003322001 | 1x | 1.2 x 6.5 x 28 mm |

Nut Extractor, 43 x 14 mm

|             |    |            |
|-------------|----|------------|
| 05050005001 | 1x | 43 x 14 mm |
|-------------|----|------------|



Hook and Loop Fastener Strip 120, 120 x 50 mm

|    |             |
|----|-------------|
| 1x | 120 x 50 mm |
|----|-------------|



Web link

<https://www.wera.de/en/05003755001>

Wera - 8100 SA All-In  
05003755001 - 4013288190994

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de