



**EAN:** 4013288004024  
**Part number:** 05009305001  
**Article number:** 355 PZ

**Size:** 141x26x26 mm  
**Weight:** 27 g  
**Country of origin:** CZ  
**Customs tariff number:** 82054000

- Screwdriver, for cross-recess screws, Pozidriv
- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Take it easy tool finder: colour coding according to profile and size
- Hexagonal anti-roll feature against rolling away
- Chrome-plated

High quality Kraftform Plus screwdriver by Wera. Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer for fast and low-fatigue working. Take it easy tool finder with colour coding according to profiles and size stamp - for simple and rapid accessing of the required tool. The hexagonal non-roll feature prevents any rolling away at the workplace.



**Web link**

<https://www.wera.de/en/05009305001>

Wera - 355 PZ  
05009305001 - 4013288004024

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

**Lasertip prevents slipping out**



Kraftform Plus screwdrivers - ergonomics you can grasp. They relieve the entire hand-arm system even when used intensively. Along with other technical and product advantages such as the Lasertip for a secure fit in the screw head, Kraftform screwdrivers are the ideal choice whenever manual screwdriving jobs are concerned.



A precisely-focused laser creates a sharp-edged surface structure. Wera Lasertip "bites" itself into the screw head and prevents any slips out of the recess. It is available for screwdrivers for slotted, Phillips and Pozidriv screws.

**Lasertip**



A precisely-focused laser creates a sharp-edged surface structure. Wera Lasertip "bites" itself into the screw head and prevents any slips out of the recess. It is available for screwdrivers for slotted, Phillips and Pozidriv screws.

**Reduced contact pressure**



Wera Lasertip reduces the contact pressure required and enhances force transfer - meaning less screwdriving effort is required. Screwdriving becomes safer and easier.

**Kraftform**




The basic idea for the prototype of the Kraftform handle - that the hand should dictate the design - has, right through to today, proved to be correct. In cooperation with the internationally recognised Fraunhofer IAO Institute, Wera developed a screwdriver handle designed to match the shape of the human hand as long ago as the 1960s. After a long development phase, the Wera Kraftform handle was launched to the market in 1968. It has been optimised through the years with new technologies, but has kept its proven shape. After all, the human hand has not changed either.

**Rapid hand repositioning**




The hard materials used for the handle ensure rapid hand repositioning without any danger of the skin "sticking" to the handle. The surrounding hard zones with large diameters glide like wheels through the hand.

**Non-roll feature**



The hexagonal non-roll feature prevents any rolling away at the workplace.

**Take it easy Tool Finder**



Screwdrivers with Take it easy tool finder: colour coding according to profile and size stamp.

**Web link**  
<https://www.wera.de/en/05009305001>

Wera - 355 PZ  
 05009305001 - 4013288004024

Wera Werkzeuge GmbH  
 Korzter Straße 21-25  
 D-42349 Wuppertal  
 Tel: +49 (0)2 02 / 40 45-0  
 E-Mail: info@wera.de

Further versions in this product family:



mm



mm



mm



inch

05009305001 <sup>1)</sup>	PZ 0	60	81	3.0	2 3/8"
05009310001	PZ 1	80	98	4.5	3 1/8"
05009312001	PZ 1	200	98	4.5	8"
05009313001 <sup>1)</sup>	PZ 1	300	98	4.5	12"
05009315001	PZ 2	100	105	6.0	4"
05009317001	PZ 2	200	105	6.0	8"
05347743001	PZ 2	250	105	6.0	10"
05009319001 <sup>1)</sup>	PZ 2	300	105	6.0	12"
05009320001	PZ 3	150	112	8.0	6"
05009325001 <sup>1)</sup>	PZ 4	200	112	10.0	8"

1) Without Lasertip

## Web link

<https://www.wera.de/en/05009305001>

Wera - 355 PZ

05009305001 - 4013288004024

Wera Werkzeuge GmbH

Korzter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de