



<b>EAN:</b>	4013288144652	<b>Size:</b>	160x85x30 mm
<b>Part number:</b>	05073640001	<b>Weight:</b>	366 g
<b>Article number:</b>	Bit-Check 30 Zyklop Mini 1	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82079030

- Bit-Checks convince due to their functionality in a minimum of space
- Wera Mini ratchet for particularly fast screwdriving even in confined spaces
- Ideal for working in confined spaces
- Tough viscous bits for universal use
- In handy and robust Bit-Check


Wera Zyklop Mini 1: a symbiosis of strength and stylishness. Incredibly robust due to its drop-forged, full-steel design. Can withstand torque forces up to 65 Nm. The petite sizing is particularly suited for work in confined spaces. The thumbwheel allows fast screwdriving. Comes in a set in the proven Wera Bit-Check with socket adaptor and belt clip. Simple tool removal and reinsertion is ensured, very robust and durable.



**The Zyklop Mini Ratchets**

**The Zyklop Mini**

**Rapid screwdriving**




Zyklop Mini



For all difficult-to-access applications.



The fine tooth mechanism, with its 60 teeth, allows a small return angle of only 6° - ideal for precision work.



Thumbwheel enables rapid screwdriving, even when there isn't sufficient room for ratcheting use.

**Web link**  
<https://www.wera.de/en/05073640001>

Wera - Bit-Check 30 Zyklop Mini 1  
 05073640001 - 4013288144652

Wera Werkzeuge GmbH  
 Korzter Straße 21-25  
 D-42349 Wuppertal  
 Tel: +49 (0)2 02 / 40 45-0  
 E-Mail: info@wera.de

**Simple direction change**



Simple switching between left/right operations.

**Slim design**



Its slim design makes it ideal for all particularly confined working situations.

**Is such a small tool sufficiently resilient?**



The Zyklus Mini 1 can withstand a torque up to 65 Nm. That is far more power than can normally be transferred to such a small tool.

**What parts can be connected to the Zyklus Mini 1?**



Bits and sockets. Bits can be connected directly. However, a holder can be connected first and then the bit can be attached to this. This then serves as an extension with a free-turning sleeve. An adaptor e.g. Wera 870/1 is needed for sockets - 1/4" hexagonal on a square - drive (included in the Bit-Check and with the individual Zyklus Mini 1 in the set).

**Web link**

<https://www.wera.de/en/05073640001>

Wera - Bit-Check 30 Zyklus Mini 1  
05073640001 - 4013288144652

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

Set contents:

**8001 A Bit Ratchet 1/4", 1/4" x 87 mm**



1x 1/4" x 87 mm



**870/1 Adaptor, 1/4" x 25 mm**



0513600001<sup>1)</sup> 1x 1/4" x 25 mm

1) With friction ball; for manual nut spinner sockets



**889/4/1 K Rapidaptor Universal Bit Holder, 1/4" x 50 mm**



05052502001 1x 1/4" x 50 mm



**851/1 TZ bits, PH 1 x 25 mm**



05056505001 2x PH 1 x 25 mm

05056510001 3x PH 2 x 25 mm

05056525001 1x PH 3 x 25 mm



**855/1 TH bits, PZ 1 x 25 mm**



05056910001 1x PZ 1 x 25 mm

05056915001 3x PZ 2 x 25 mm

05056925001 1x PZ 3 x 25 mm



**867/1 TZ TORX® bits, TX 10 x 25 mm**



05066305001 1x TX 10 x 25 mm

05066308001 1x TX 15 x 25 mm

05066310001 1x TX 20 x 25 mm

05066312001 1x TX 25 x 25 mm

05066315001 1x TX 30 x 25 mm

05066320001 1x TX 40 x 25 mm



**867/1 Z TORX® B0 bits with bore hole, TX 10 x 25 mm**



05066500001 1x TX 10 x 25 mm

05066505001 1x TX 15 x 25 mm

05066510001 1x TX 20 x 25 mm

05066515001 1x TX 25 x 25 mm

05066525001 1x TX 30 x 25 mm



**800/1 TZ bits, 1 x 5.5 x 25 mm**



05056225001 1x 1 x 5.5 x 25 mm



Web link

<https://www.wera.de/en/05073640001>

Wera - Bit-Check 30 Zyklus Mini 1  
05073640001 - 4013288144652

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de

**Web link**

<https://www.wera.de/en/05073640001>

Wera - Bit-Check 30 Zyklus Mini 1  
05073640001 - 4013288144652

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

Set contents:

**8001 A Bit Ratchet 1/4", 1/4" x 87 mm**



1x 1/4" x 87 mm



**870/1 Adaptor, 1/4" x 25 mm**



0513600001<sup>1)</sup> 1x 1/4" x 25 mm

1) With friction ball; for manual nut spinner sockets



**889/4/1 K Rapidaptor Universal Bit Holder, 1/4" x 50 mm**



05052502001 1x 1/4" x 50 mm



**851/1 TZ bits, PH 1 x 25 mm**



05056505001 2x PH 1 x 25 mm

05056510001 3x PH 2 x 25 mm

05056525001 1x PH 3 x 25 mm



**855/1 TH bits, PZ 1 x 25 mm**



05056910001 1x PZ 1 x 25 mm

05056915001 3x PZ 2 x 25 mm

05056925001 1x PZ 3 x 25 mm



**867/1 TZ TORX® bits, TX 10 x 25 mm**



05066305001 1x TX 10 x 25 mm

05066308001 1x TX 15 x 25 mm

05066310001 1x TX 20 x 25 mm

05066312001 1x TX 25 x 25 mm

05066315001 1x TX 30 x 25 mm

05066320001 1x TX 40 x 25 mm



**867/1 Z TORX® B0 bits with bore hole, TX 10 x 25 mm**



05066500001 1x TX 10 x 25 mm

05066505001 1x TX 15 x 25 mm

05066510001 1x TX 20 x 25 mm

05066515001 1x TX 25 x 25 mm

05066525001 1x TX 30 x 25 mm



**800/1 TZ bits, 1 x 5.5 x 25 mm**



05056225001 1x 1 x 5.5 x 25 mm



**840/1 Z bits, 3 x 25 mm**



05056315001 1x 3 x 25 mm

05056320001 1x 4 x 25 mm

05056325001 1x 5 x 25 mm

05056330001 1x 6 x 25 mm

05056335001 1x 8 x 25 mm



Web link

<https://www.wera.de/en/05073640001>

Wera - Bit-Check 30 Zyklus Mini 1  
05073640001 - 4013288144652

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: info@wera.de

**Web link**

<https://www.wera.de/en/05073640001>

Wera - Bit-Check 30 Zyklus Mini 1  
05073640001 - 4013288144652

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)