

Declaration of Conformity



The undersigned, representing the following supplier

CamelBak Products, LLC

16752 Armstrong Ave.
Irvine, CA 92606

Declare, under our sole responsibility, that the products:

CamelBak® Thrive Flip Straw Bottle™ with Tritan Renew copolyester body, in all sizes and color/style combinations [product of China]



to which this declaration relates, conform with the following standard(s) for *repeat use water contact*. The in use temperature shall range between *0-65 degrees Celsius* and it is recommended to use the contents within *24 hours*.

Standard / Regulation	Description
US FDA 21 CFR 177.1240	1,4-cyclohexylene dimethylene terephthalate and 1,4-cyclohexylene dimethylene isophthalate copolymer in contact with food
US FDA 21 CFR 177.1520	Olefin polymers in food contact.
US FDA 21 CFR 177.2600	Rubber articles intended for repeated use food contact.
US CPSC Title 16 CFR Part 1303	Lead content in a coating on finished product shall not exceed .009%
US FDA 21 CFR 178.3297	Colorants for polymers in food contact
EC Regulation No. 1935/2004	Directive on material and articles intended to come into contact with food
EU Regulation No. 10/2011 (as amended by EU 2015/174 and EU 2016/1416)	Relating to plastic materials and articles intended to come into contact with food stuffs & migration limits
EN Standard 14350-2:2004	Migration of certain elements (heavy metals)
CE Resolution AP (89) 1	On colorants in food contact plastics
CE Resolution AP (2004) 5	On silicones used for food contact applications
EU Regulation No. 2023/2006	Good manufacturing practice for materials and articles intended to come into contact with food
EC Regulation No. 1907/2006	Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
BPA content	BPA content of a material determined to be less than 1 ppm, by solvent extraction followed by LC-MSMS, HPLC-MSD, or HPLC-FLD analysis

Declaration of Conformity



Parts Information



Declaration of Conformity



Table 1: Material and Manufacturing Process, by Part, for all Thrive Flip Straw Tritan Bottles

	Part Description	Material Type	Mfg. Process
A	Tritan Vessel	Copolyester (Eastman Tritan Renew)	blow molded
B	Straw	Low Density Polyethylene	injection molded
C	Main Cap	Polypropylene Copolymers	injection molded
D	Handle (not water contact)	Thermoplastic Vulcanizate (TPV)	injection molded
E	Flow Valve	Silicone	compression molded
F	Thumb Tab	Polypropylene Copolymers	injection molded
G	Dust Cover	HDPE	injection molded
H	Vent Valve	Silicone	compression molded
I	Cap Gasket	Silicone	compression molded

The technical construction file and supplemental information required by the regulation is maintained at the corporate headquarters of:

CamelBak Products, LLC, 16752 Armstrong Ave., Irvine, CA 92606

The authorized representative located within the European Community is:

CamelBak Products, LLC, River House, St. Mary's Road, Newcastle West, Ireland

I, the undersigned, hereby declare that the products specified above conform to the listed directives and standards, and that the specifications are correct.

Name: Mitch Gordon

Signature: 

Company Title: Regulatory Manager

Date: Dec. 19, 2024